



GPDPPD

Global Partnership
on Drug Policies and
Development

“Speed limits”

Global harm reduction practices for people using
stimulant drugs

Research team



Rafaela Rigoni




Joost Breeksema



Sara Woods




Context





Objectives





Framework

Risk environments (Rodhes 2002)

Micro – types of stimulants, routes of administration, rituals of use, gender aspects, key populations involved

Macro – geographical regions, types of strategies and services available, drug policies, resources, socio-economic conditions

Meaningful involvement

Perspectives and motivations of people who use drugs



Methodology




Module 1 – relevant
data sources

Module 2 – describing
8 best practice cases



Module 1- data sources





Module 2 – 8 case studies



December 2017- April 2018



Outputs

01

Concept note of the design, methodology and scope of the study

September 2017

02

Report of the research study

May 2018


03

Executive summary

04

PowerPoint Presentation with key findings for broad dissemination

POSSIBLE CASES



IDEAL

Balance regions; drug types; routes of administration; polydrug use; key pops; support; types of strategies. Integrate with/complement other studies.



SEARCHING



DOUBT



GOOD POSSIBILITIES



Comments or
suggestions of
good harm
reduction
practices for
stimulant drugs?

MAIN*line*

DRUGS & HEALTH

r.dequadrosrigoni@uu.nl